




A guide to Clad Kits

Clad Kit Measurements**Overall Finished Size of Clad Kits**


Model	Width	Min. Height	Max. Height	Depth	Nett Weight (Kg)
I650 Double	1966	2219	2236	659	155.589
I427 or I700 Single	793	2115	2134	659	81.147
I430 or I611 Single	857	2217	2236	659	76.796
I642 or I685 Single	1162	2217	2236	659	85.859
I427 or I700 Double	1534	2115	2134	659	139.770
I685 with I430 Double	1966	2217	2236	659	155.232
I650 with I430 Double	1814	2217	2236	659	151.189
I427 or I700 Treble	2277	2115	2134	659	198.392
I736 Single	1021	2115	2134	659	87.649
I736 Double	1990	2115	2134	659	153.638
I632 or I695 Single	1314	2217	2236	659	93.419
PRO48 with I427	2064	2217	2236	659	164.351
I601 Single	1009	1937	1956	659	73.068
I700BR/BFI/BCI Single	793	999	1018	659	52.078
I700BR/BFI/BCI Double	1534	999	1018	659	120.780
I736 with I427 Double	1759	2115	2134	659	132.795
I430 with 2x I650 Treble	2773	2219	2134	659	201.430

NOTE: All measurements are in millimeters

Clad Kit Examples



Single Clad Kit - Any Model



1700/1427 Series - Combination



1650 Double Clad Kit

